



Machinery

Pujol



Hornos de Laminado Horizontal (HLH):

Horno de convección acelerada, para media y alta producción, equipado con 4 bandejas (ampliable a 5) con sus correspondientes bolsas de vacío. Alta homogeneidad de temperaturas en todas las superficies a laminar gracias al perfecto guiado del flujo de aire de gran caudal. Posee ventiladores de recirculación de gran caudal y equipo independiente de enfriamiento rápido, con ventilador y extracción forzada automática, que permiten reducir los ciclos de laminado y aumentar las propiedades de transparencia del EVA.

El equipo de control consta de una pantalla táctil de fácil uso, con capacidad para veinte programas independientes, con veinte segmentos abiertos y programables para el control de los diferentes tipos de ciclo, así como ciclos abiertos con programación de tiempos de rampas y control de los paros y marchas de vacío segmento a segmento.

Horizontal Lamination Ovens (HLH):

Convection oven for medium and high production equipped with 4 trays (upgradable to 5) each with a vacuum bag. Thanks to its mastered high volume air flow we can achieve great temperature homogeneity in all its surfaces. The oven has circulation fan(s) and an independent fast cooling circuit with a fan and a chimney to evacuate the heat, allowing fast cooling times. This results in shortened working cycles and higher transparency in EVA.

The program controller has a user friendly touch screen with a capacity for 20 independent programs with 20 open segments so it can handle all sorts of cycles. The open programmable cycles allow controlling heating and cooling ramps, and the start&stop of the vacuum segment per segment.


NEW MODULAR CONCEPT




BASIC



+ WEIGHT



+ PRODUCTION



Medidas exteriores/exterior size

MODELO / MODEL	ancho/width			Bandeja/tray		
	A	B	C	a	b	kw
44 x 20	2600	5400	2700	2000	4400	67 kw
44 x 25	3100	5400	2700	2500	4400	68 kw
52 x 27	3400	6400	3100	2700	5200	95 kw

Pujol

